

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"4832576".pn.	USP AT	2007/01/ 10 08:58	
2	BRS	L2	1	"6194856".pn.	USP AT	2007/01/ 10 08:59	
3	BRS	L3	1	"20010035018"	US- PGP UB	2007/01/ 10 08:59	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	2927 77	rectifier or converter	USP AT	2007/01/ 10 07:45	
2	BRS	L2	6713 13	motor	USP AT	2007/01/ 10 07:45	
3	BRS	L3	1143 59	Hall	USP AT	2007/01/ 10 07:45	
4	BRS	L4	1154 78	inverter	USP AT	2007/01/ 10 07:45	
5	BRS	L5	3277 6	pwm or pulse adj width adj modulat\$4	USP AT	2007/01/ 10 07:46	
6	BRS	L6	2628 1	step\$4 adj2 down or stepdown	USP AT	2007/01/ 10 07:46	
7	BRS	L7	41	1 and 2 and 3 and 4 and 5 and 6	USP AT	2007/01/ 10 07:46	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"5731681".pn.	USP AT	2007/01/ 10 08:02	
2	BRS	L2	1143 59	hall	USP AT	2007/01/ 10 08:02	
3	BRS	L3	1	1 and 2	USP AT	2007/01/ 10 08:07	
4	BRS	L4	2182 46	ac or alternating adj current	USP AT	2007/01/ 10 08:07	
5	BRS	L5	2927 77	converter or rectifier	USP AT	2007/01/ 10 08:07	
6	BRS	L6	1154 78	inverter	USP AT	2007/01/ 10 08:07	
7	BRS	L7	8378 7	(position or flux) adj3 (sensor\$2 or detector\$2)	USP AT	2007/01/ 10 08:09	
8	BRS	L8	1322	4 and 5 and 6 and 7	USP AT	2007/01/ 10 08:09	
9	BRS	L9	1967	brushless.ab.	USP AT	2007/01/ 10 08:09	
10	BRS	L10	71	8 and 9	USP AT	2007/01/ 10 08:09	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	32519	different adj2 voltage\$2	USP AT	2007/01/ 10 15:33	
2	BRS	L2	54299	lower adj2 voltage	USP AT	2007/01/ 10 15:34	
3	BRS	L3	10031	brushless	USP AT	2007/01/ 10 15:34	
4	BRS	L4	671313	motor	USP AT	2007/01/ 10 15:34	
5	BRS	L5	218246	ac or alternating adj current	USP AT	2007/01/ 10 15:34	
6	BRS	L6	330247	dc or direct adj current	USP AT	2007/01/ 10 15:34	
7	BRS	L7	115478	inverter	USP AT	2007/01/ 10 15:34	
8	BRS	L8	292777	converter or rectifier	USP AT	2007/01/ 10 15:34	
9	BRS	L9	18	1 and 2 and 3 and 4 and 5 and 6 and 7 and 8	USP AT	2007/01/ 10 15:35	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	9279	brushless and motor	USP AT	2007/01/ 10 14:16	
2	BRS	L2	1371 3	inverter and rectifier	USP AT	2007/01/ 10 14:17	
3	BRS	L3	2182 46	ac or alternating adj current	USP AT	2007/01/ 10 14:17	
4	BRS	L4	3302 47	dc or direct adj current	USP AT	2007/01/ 10 14:17	
5	BRS	L5	7482 4	(position or rotor or pole or flux) adj2 (detector\$2 or sensor\$2)	USP AT	2007/01/ 10 14:18	
6	BRS	L6	189	1 and 2 and 3 and 4 and 5	USP AT	2007/01/ 10 14:18	